

920.326.5193 Randolph

608.251.4318

Madison

800.321.5193

Toll Free

563,203,0182

Cresco, IA

920.326.5209

Fax

Well Drilling, Inc.
"Well Worth It"

P.O. Box 150 Randolph, WI 53956

December 24, 2013

Dave Johnson
Wisconsin Department of Natural Resources
Private Water Systems Section
Bureau of Drinking Water and Ground Water
101 S Webster Street
P.O. Box 7921
Madison, WI 53707-7921

RECEIVED-DNR

DEC 27 2013

DRINKING WATER & GW

RE: High Capacity Well Application for Troy Gilbertson, S8890 Betz Road, Eau Claire, Wisconsin, Town of Brunswick, Eau Claire County.

Dear Dave:

On behalf of Troy Gilbertson, Sam's Well Drilling, Inc., proposes to construct two high-capacity wells in the Town of Brunswick. The proposed wells will supply water to two irrigation systems, to be erected on the property. The enclosed application is for these high-capacity wells.

According to the owner, there is one other well on the property at this time. I have enclosed the well construction report for the well with this correspondence. If you have any questions regarding this project, please contact me at (920) 326-5193.

Sincerely,

SAM'S WELL DRILLING, INC.

Jeff Kramer, P.G.

1/omes

Hydrogeologist

Agent authorized to submit this application on behalf of the property owners, Troy Gilbertson.

www.samswelldrilling.com

State of Wisconsin Department of Natural Resources Private Water Systems Section - DG/2 dnr.wi.gov

High Capacity, School or Wastewater Treatment Plan Well Approval Application DEC 27 2013

Form 3300-256 (R 7/05)

Notice: Prior department approval is required for the construction, reconstruction or operation of a high capacity well of system of high capacity wells, a school well or a wastewater treatment plant well in accordance with Section NR 812.09(4)(a), Wisconsin Administrative Code. Personally identifiable information collected on this form, including such data as your name, address and phone number will be used for the construction of a high capacity well of system of high capacity wells, a information collected on this form, including such data as your name, address and phone number, will be used for management of department programs and is unlikely to be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or more duplexes is regulated under ch. NR 811, Wis. Adm. Code. See NR 811.01, Wis. Adm. Code for applicability requirements.

Applicant Information						
Application Prepared By (Name and Title)		Company				
JEFF KRAMER HYDROGEOLOGIST		SAME	JAM'S WELL OPILLING			
Street Address		City		S	State	ZIP Code
P.O. BOX 150		BANC	GLPH		VI	53956
Telephone Number	Fax Number		E-Mail Addre	ess		
920-326-5193	920-326-53	69	JEFF	ic sams	WE	WORKING
Property Ownership Information						
Property owner, if different than applicant	(Name of Person and Title)	Company				
TROY GUBERTSON I	OWNER					
Street Address		City		9	State	ZIP Code
58890 BETZ ROAM	0	EAU	CLAIRE		WI.	54701
Telephone Number	Fax Number		E-Mail Addre	ess		<u> </u>
715-828-2177(0)	and the same of th					
Well Operator Information			Want I	a area di Laco di sa		
Well operator if different than owner (Nan	ne of Person and Title)	Company				
TROY GILBERTSON !						
Street Address		City			State	ZIP Code
J8890 BETZ ROAD		EAUC	LAIRE		WI.	54701
Telephone Number	Fax Number		E-Mail Addr	ess		
715-828-2177 (c)			sample and other			
					-01-10	
Property Information Enter the High Capacity Well File Number by	pelow if the property is already	a high canacit	v property. If t	he property is not o	lesian	ated as a high capacity
property at the time of application, enter "N	ONE." NOTE: Find the file nun	nber in upper r	ight hand corn	er of the most rece	nt hig	h capacity well approval
or use the compact disk of departmental we "Location" section. File number format is as	ell data that is issued to drillers	and pump inst	allers. On the well classifica	compact disk, see tion) - (1 to 4 digits	"File li	signed property no.).
County	Town	.,, (1		High Capacity Wel		
EAU CLAIRE	BRUNSWI	CK				
Submittal Purpose						
Check all that apply:						
Install one or more new wells with	a capacity greater than 70	gallons per n	ninute.			
Install one or more new wells with				capacity propert	V.	
Replace one or more wells with a		Aller Comments of the Comments	500 61 15 60	contractly property	,	
Replace one or more wells with a				anacity property		
				apaony property.		
Reconstruct one or more wells wit				h canacity propo	rtv	
Reconstruct one or more wells wit					ıty.	
Increase pumping rate in one or n						1.
Request continued operation of hi		ange in owne	ership. (No a	ipplication fee re	quirec	1.)
Renew a previous approval that h			1000	_		
Well (or wells) will serve a school	or wastewater treatment pla	ant. See defi	nitions on pa	ige 5.		
Other, explain						

		ıs Information	tega in the Agent seaten (gelen between gelegen film in a selegen fred Agent).
and the	ne inf	e the site status using the internet or the compact disk of depart formation supplied by the property owner. Internet address is $\underline{\mathbf{d}}$ owing questions.	mental well data that is issued to drillers and pump installers nr.wi.gov/org/water/dwg/dws.htm. Enter YES or NO for each
YES	V	Has the property boundary changed since the most recent high yet a high capacity property, check NO.	n capacity well approval was issued? If the property is not
	×	Has there been a change in well ownership since the last appr If YES, name of current owner:	oval was written? Date of purchase:
	×	Has there been a change in well operator since the last approval YES, name of current operator:	val was written? Date of change:
	×	Will a proposed well be connected to a plumbing system that i supply, etc.)? If YES, include a schematic drawing showing be	ackflow protection.
	X	Is a proposed well within 1,200 feet of a landfill? Determine if the compact disk FIND feature. Enter the township, range and see also check the adjacent section or sections. If YES, list the landfill site ID Number:	tion of the well location. If the well is near a section line,
	X	Is a proposed well on a property that has a contaminated site? Redevelopment Tracking System) Number here and specify if	If YES, list the BRRTS (Bureau for Remediation and the site is open or closed:
	×	Is a proposed well on a property that has a groundwater use r number, as assigned to the contaminated site by the DNR ren	estriction recorded on the deed? If YES, list the BRRTS nediation and redevelopment program:
	×	Is a proposed well on a property that is listed on the departme restriction? See compact disk or internet at maps.dnr.state.w here:	nt's registry of closed remediation sites for a groundwater use i.us/imf/dnrimf.jsp?site=brrts. If YES, list the BRRTS Number
	×	Is a proposed well to be used for a public water supply system water system in the definitions section on page 5.	n that serves 25 or more people? See definition of a "public
	X	Is a proposed well to be installed within a special casing area by the department and/or contact the regional DNR office.	Refer to the list of special casing areas that is published
	X	Has the number of wells or pumping capacity in an existing wapproval was issued?	ell increased since the most recent high capacity well
	X	Has the number of wells decreased since the most recent hig capacity property, check NO.	h capacity well approval? If the property is not yet a high
	X	Is a non-pressurized storage vessel (i.e. reservoir) other than	a pond proposed or in use?
	X	Will the well discharge directly to a storage pond?	
	X	Is a pressurized tank with a capacity greater than 1,000 gallo	ns proposed or in use?
	×	Is a proposed well within 1,200 feet of a quarry?	
	\boxtimes	• •	
	X	Are any existing well installations on the high capacity proper Administrative Code?	ty out of compliance with Chapter NR 812, Wisconsin
	\times	Will the well be used as a source of bottled water?	
	X	Are you seeking a variance to construct a well that has a cap construction standards?	acity of less than 70 gallons per minute to low capacity well
	X	Is the property served by a community water system?	

Existing Well Information							
Enter the following information on a		roperty, if mo	re than four	wells, submit	additional sh	neets:	
Well Name Assigned by Well Owner (North Well, etc.):	HOUSE						
Well Number Assigned by Owner (001, 002, etc.):	001						
WI Unique Well Number or NA if no number:	FJ988	·					
Permanent DNR High Capacity Well Number or N/A if none:	NA						
Public Water System ID Number, if Public (if not public, NONE):	NONE						LULUWANA.
Potable or Non-Potable Use:	POTABLE						
Type of Well (Irrigation, Industrial, Residential, etc.):	FARM						
Requested Average Water Usage per Day in Gallons:	500					âlm II	
Requested Maximum Water Usage per Day in Gallons:	1000		:				
Seasonal? (April to October, Year Around, etc.):	YEAR ROUND						M-m.0
Approved Pumping Capacity if Previously Approved (gpm):	12.0						
Current Pump Type & Capacity (gpm):	SUBMERSIBLE/12	6an					
Proposed Pump Type & Capacity If Change Requested (gpm):	NA						
Pump Discharge Type (Over Top of Casing Seal, Pitless, etc.):	PITLESS ADAPTE	e					
Discharge Location (Building Pressure Tank, Pond, etc.):	BUILDING PRESSURE TANK						
Height of Well Casing Above Ground in Inches:	12.0						
Potential Contaminant Sources and Distance:	BUILDING OVERHANG 10.0						
Well Loc: Quarter Quarter Section	SE 1/4 of SW 1/4	1/4 0	f 1/4	1/4 o	f 1/4	1/4 0	<u>1/4</u>
or Government Lot Number	7						
Section or French Long Lot No.	27						
Township:	T 26 N	T	N	Τ	N	<u></u>	N
Range (Select E or W):	R /O □E 🗷 W	R	□E □W	R	□e □w	R	E Dw
Latitude (Degrees and Minutes)	44.42275		1	<u> </u>	'	0	
Longitude (Degrees and Minutes)	091. 34.799.	0		0	''	<u> </u>	<u>_'</u>
GPS Map Datum (WGS84,	6250CB						
MTM91, etc.) Include as much of the following inform well construction record is attached, ap	nation as practical for wells the oplicant may leave the follow	nat do not have ing rows blank.	well construc	tion records att	ached to the a	application, hov	vever if the
Date of Construction:	4/7/1993						
Drilled by (Name of Drilling Firm):	FEOIE						
Drilling Method(s) (Rotary, Percussion, Etc.)	CABLE						
Well Depth in Feet:	108,0						
Upper Enlarged Drillhole Diameter in Inches and Depth in Feet:	10.0 inches, 40.0 feet	inches,	feet	inches,	feet	inches,	feet
Lower Drillhole Diameter in Inches and Depth in Feet:	6.0 inches, 108.0 feet	inches,	feet	Inches,	feet	inches,	feet
Well Casing Diameter in Inches and Depth in Feet:	6.0 _{inches,} 49.0 _{feet}	inches,	feet	inches,	feet	inches,	feet
Well Casing Material and Wall Thickness:	STEEL 1,280						
Annular Space Material Between Casing and Drillhole Wall:	NEAT CEMENT GOOUT						
Is There a Well Screen (Y or N) If so, Screen Material?:	N				:		

Proposed Well Information				
Enter the following information on all	proposed wells on the property, if more than two wells	s or alternate construction, submit additional sheets:		
Well Name Assigned by Well Owner (North Well, etc.):	WEST WELL	FASTWELL		
Well Number Assigned by Owner (001, 002, etc.):	200	<i>c</i> 03		
Well Loc: Quarter Quarter Section or French Long Lot Number	SE 1/4 of NW 1/4 of Section 27	NW 1/4 of NE 1/4 of Section 26		
or Government Lot Number				
Township & Range (Select E or W)		T 26 N,R O DE WW		
Latitude (Degrees and Minutes)	44 • 42327 •	44 42.620		
Longitude (Degrees and Minutes)	091 · 35.081 ·	091 . 33.002		
GPS Map Datum (WGS84, WTM91, etc.)	615008	GP50068		
Type of Well (Irrigation, Industrial, Residential, etc.):	Type: JPRICATION Potable Non-Potable	Type: TRRICATION Non-Potable		
Drilling Method(s) (Rotary, Percussion, Etc.):	ROTARY	ROTARY		
Anticipated Geological Materials and E	Depths that Are Expected During Drilling:			
Material and Depth Interval:	TODSOL from 0' to	Beown 54ND from 0' to 34		
Material and Depth Interval:	CLAY from to 10	CAEI CLAY from 34 to 85		
Material and Depth Interval:	CRESISSINE MANUM 10 to 57	CREEN CLAY from 85 to 92		
Material and Depth Interval:	BROWN SANDSFOREIGN 57 to 300 .	WHITE From 92 to 130 to 1300 t		
Material and Depth Interval:	from ' to '	WHITE AMOSTERE from 130 to 300 .		
Drillhole Diameter and Anticipated Dep	11 . 11 . 12	16.0" from 0 to 100 .		
Diameter and Depth Interval:	100 H 40 200			
Diameter and Depth Interval:				
Diameter and Depth Interval:	from ' to ' and Wall Thickness at Anticipated Depth Intervals:	from ' to '		
Diameter and Wall Thickness		16.0 "diam/, 375" thick 0 to 100 .		
at Depth Interval: Diameter and Wall Thickness	16.0 "diam/, 375" thick 0' to 40 .	16.0 "diam/, 375 " thick 0' to 100 "		
at Depth Interval:	" diam/ " thick ' to '	"diam/ "thick 'to '		
Permanent Casing or Liner Material , I				
Casing Joints (Welded, T and C, etc.)	WEIDED	WELDED		
Material and Weight at Depth Interval:	STEEL 1625Blbs/foot 0. to 40.	STEEL 62,58 lbs/foot 0' to 100.		
Material and Weight	/ lbs/foot ' to '	/ lbs/foot ' to '		
at Depth Interval: Screen Material, Slot Size in Inches and Depth Interval or N/A if none:	NA / "/ 'to	NA / "/ 'to '		
Casing to Screen Joint (Welded, T	NA	NA		
and C, K Packer, etc.) Annular Space Material Including Filte		1-71		
Material and Depth Interval:	NEAT CEMENT GROWT 0' to 40	BENTONITE 1 0. 10 100.		
Material and Depth Interval:	/ . ' to '	/ ' to '		
Proposed Average Water Usage Per	576,000 (400 6PM)			
Day in Gallons: Proposed Maximum Water Usage Per				
Ďay in Gallons:	11,132,000 (00004M			
Seasonal? (April to October, Year Around, etc.):	APRIL TO OCTOBER	APRILTO OCTOBER		
Proposed Pump Type & Capacity (gpm):	SUBMERSIBLE / 800 6PM	SUBMEDSIBLE / 800 6PM		
Discharge Type (Over Top of Casing Seal, Pitless Adapter or Unit):	OVERTOP OF CASING	ONER TOP OF CASING		
Discharge Location (Building Pressure Tank, Pond, etc.):	TRIZICATION SASTER	IRRIGATION SYSTEM		
Distance and Direction to Nearest Public Utility Well & Well Name:	SMILES NORTH CITY OF EAUCIAIN WELL, EJ 782	DE 6 MILES NORTH WEST, CITY OF BAUCIAN WELL EJ 182 OF 6 MILES NORTH WEST, CITY OF BAUCIAN		
Distance to Other Potential Contaminant Sources:	LANDFILL.	CANTILL.		
Distance to Other Potential Contaminant Sources:				
Leave Blank, for Department use only				

Required Attachments

- Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
 - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
 - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells, property boundary, wetlands, potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an irrigation well in the middle of a field, state that on the property map listed above and plot the well locations on that map.
- 3. Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under full load and list the motor horsepower.
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitless, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other pertinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the schematic.
- 6. If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed construction.
- 7. If the application is for a high capacity well or wells, a \$500.00 check payable to the Department of Natural Resources, unless the application is only for continued operation after a change of ownership.

Certification and Applicant Signatures

If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application.

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application is accurate and correct.

Name - Print	Check Box				
JEFF KRAMER	Owner	Agent of the Owner			
Signature Work Norman	Company SAMS WELL DRILLING	Date 12 24 13			
Application submittal. Mail completed application - DG/2, PO Box 7921, Madison WI	cation and payment with all required attachments to DNR, 53707-7921.	Private Water Systems			
Definitions from Wisconsin Administrative					

Definitions from Wisconsin Administrative Codes

"High capacity well" means a well constructed on a high capacity property. [NR 812.07(51)]

"High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]

"High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]


"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR 812.07(80)]

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a land disposal system. [NR 114.03(14)]

©2007 CLOUD Cartographics, Inc. St. Cloud, MN 56301

See Page 34 UNION + BRUNSWICK Chippetta Karl 119.9 40.1 85 131.1 4 & Hazel 203.6 Taylor Creek Corp Riekemann Development Ted 95.1 WIDNR 30.2 197.7 119.7 Frank Johnson 37 Kopp Powell Randell 145.8 Mathy State Materials Kopp 39.2 Lake Construction Corp of WI etal 93.4 Mary Wimbish 75.6 Co Brandt Fm Tr 157.5 В - 146.8 Thill Je 2 William Richard Hallinan & Paul Jens Huntsinger Jaquish Jr 57 Huntsinger Materials Jaquish > 31.4 £ 373 (37 Mitchell LLC 71.9 Farms Inc 109.5 WGF 320 NI DAR ILI 75.9 176 72.8 313 Ronald 80.1 Spehle 74 11 | 13 Albert ML9 Debonh PART S CO S RI S Z Eau Claire Mi. Sm. 69.5 Rolland Corda)utr Ima Sand & Gravel Co Freid 80 145.8 114 Daniel Cathy Mark & Tammy Dana Ethel Leon 74.1 KP Green & Shery Turner 40 40 Orgel 80 & Lisa 40 40 Tegen 79.4 Havden Tr Schuh 80 Sommerfeld 120 Acres LLC Stone Dunn County Peter & Dawn Wagner 40 Nancy Hayden 40 Martin Jaye & 160 Robert Baker IS DAY Baldi FB Berg 5 342 39.1 Marcia 40 Schuh CA 67.3 64.9 NG W 40 Adair 8 Bonita DET PARTY Bryan & Kayleen Myren — 280 100 Kenneth & Mary Transeth & Alvin 40 Traaset Mary John JK 10.2 Paul & 40 Sandra Grave Burce Smith John Peter & Dawn 13 Hallinar 79.8 Peggy & Ann Wagner D&CM129 3 145, 40 & Schuh Pendergast Vogler 40 105 & Jene 79.6 30.9 DK 5 भ्यातिक स 70 78.6 110 Rud & Rickey & Mind Ienyfie 12 Gladys Sarah Steven & Burgess 40 Vogler Olsen Wille 148.2 31.9 567.5 785 40 z Colleen Charle RAP B 10. 80 F45 K- 10 Peterson Jeffer & Sasta Seath 194 Mary Wade Asher 41.9 19.3 TEDE 140 Leslie & Viola Herman 159.9 D 13.6 154.4 & John Broberg Nelson NAL Larry Beyer RLS 27.1 William & Julia Eassen 136 & Carol James Marshall 185.5 187 120 40 107 Schuh & Carolyn 159 Charles Flanders 14LT 10.4 154.9 Arthur & Joyce & Tanya Steven Kopplin 40 160 4 4 2 5 TES 14 5 125 Scott Faaren Anderson DG5 c c 5 5 5 5 5 5 163 Ш Camp Davidso 40 3 5 & Mariann 19.4 inders 40 64.6 Tr 39.5 Gilbertson CR 5 DH 5
CD 5 7:LLS
MD 5 123
LS 5 KS 5 260.3 Willard & Kathle Rochun 27.5 240 F 121 Parker Marianna 799 Gilbertson 261 inia. Scott andbe 160 C David George & Ardis 106.5 Walter 75.11 Betty Zich aquish Belsky Carolyn LW Charlott Dennis Clayton & Jane Larry & Mary Kilness 40 80 Clario Bugher 80 Tack $C_{\theta_{\mathcal{D}_{\mathcal{U}}}}$ & Patsy Phillips 40 Pierce 3 46.3 = 1 Zacho 40 alloin Vlcek & Julie Dohms Charle Adam etal 40 Jason Frank 36.8 Melwin) & Theres Eau Claire HH Man Kuyper Family Michael 35.3 40 5 R Wayn (37) 80 40.4 109.2 4 Alice HAP! Wasia LLC 3 F Teige Brian 80 39 Z Philip 40 79.5 Betty 124.4 & Denise Chute 35.3 Zich Becker Weslry Vlœk 75 Our 20 Lyle Debra Denny Forad 74.5 50 120 Family LLP & Lori В Sandberg 40 ohnso 40.2 Bell 33 116.7 40 40 45 Cindi Hetzel Mark Oison 40 Olin & White Losvell Kent & Janet Peterson Jerrod JAS 20 Giese & Elaine Oak Cass 27 & William Shurbert 83 101.9 40 нн See Page 10



COUNTRYSIDE COOPERATIVE

1-800-236-7585 or 1-800-547-8078 www.countrysidecoop.com E-mail: info@countrysidecoop.com

Greative Solutions. Exceptional Value